

#### KINGFISHER COUNTY COMMISSIONERS

Jeff Moss, District 1
Ray Alan Shimanek, District 2
Heath Dobrovolny, District 3

May 3, 2021

Phone: (405) 375-3808 Fax: (405) 375-2366 Kingfisher County Courthouse 101 S. Main, Room #9 Kingfisher, OK 73750

Biel#14-20-21

NOTICE TO BIDDERS

Notice is hereby given that the Board of County Commissioners of Kingfisher County will receive sealed bids for the <u>6 Month Bid list for Road and Bridge Materials and Commercial Roadway work for all Districts</u> <u>of Kingfisher County</u>. Bids will be accepted at the Kingfisher County Courthouse in the Office of the County Clerk until 4:00pm on the 28<sup>th</sup> day of May, 2021 to be opened at their regular meeting of June 1<sup>st</sup>, 2021.

Specifications of the project are included in the bid packet and also available from the purchasing agent located in the Kingfisher County Clerk's office.

Beginning July 1<sup>st</sup>, 2021, during a period terminating on January 1<sup>st</sup>, 2022. All materials must meet the requirements of the Oklahoma Department of Transportation Specifications for Highway Construction, 2009 Edition, and its supplements, as approved by the Department of Transportation.

The successful bidders are required to be capable of producing a \$5,000 Performance Bond upon request and successful contractors are required to show a Certificate of Insurance, its limits and Workers Compensation.

ALL BIDS ARE TO BE SUBMITTED ON BID SHEETS PROVIDED. PLEASE BID ONLY ON ITEMS REQUESTED. PLEASE DO NOT REPEAT, MAKE SUBSTITUTIONS, ADDITIONS,

DELETIONS, OR WRITE ADDITIONAL INFORMATION ON BID SHEETS UNLESS IT ASKS FOR PLANT LOCATION OR F.O.B. POINT. IF YOU DO, THIS WILL CAUSE THOSE ITEMS NOT TO BE CONSIDERED FOR OUR 6 MONTH LIST.

The Board of County Commissioners reserves the right to reject any or all bids. All bidders must complete a statement of non-collusion. Please contact Kingfisher County Clerk's office for bid results at 405-375-3887.

Board of County Commissioners Kingfisher County Courthouse Kingfisher, Oklahoma

CHAIRMAN:

Heath Dobrovolny

1104111 2001910

MEMBER:

Jeff Moss

MEMBER:

Ray Shimanek

ATTEST:

COUNTY CLERK

	18" Compler	FΑ	320
	24" Corrugated HDPE Pipe (AASHTO M294)	LF.	320
	24" Coupler	EA.	310
	30" Corrugated HDPE Pipe (AASHTO M294)	LF <sub>2</sub>	300
	30" Coupler	EA.	290
	36" Corrugated HDPE Pipe (AASHTO M294)	LF.	280
	36" Coupler	EA.	270
	42" Corrugated HDPE Pipe (AASHTO M294)	F	260
	42" Coupler	EA.	250
	48" Corrugated HDPE Pipe (AASHTO M294)	Ę.	240
	48" Coupler	EA.	230
	60" Corrugated HDPE Pipe (AASHTO M294)	LF	220
	60" Coupler	EA.	210
	12" Corrugated Polypropylene Pipe (AASHTO M330)	LF <sub>zc</sub>	200
	12" Coupler	EA.	190
	15" Corrugated Polypropylene Pipe (AASHTO M330)	LF <sub>in</sub>	180
	15" Coupler	EA.	170
	18" Corrugated Polypropylene Pipe (AASHTO M330)	LF,	160
	18" Coupler	EA.	150
	21" Corrugated Polypropylene Pipe (AASHTO M330)	두.	140
	21" Coupler	EA.	130
	24" Corrugated Polypropylene Pipe (AASHTO M330)	LF <sub>s</sub>	120
	24" Coupler	EA.	110
	30" Corrugated Polypropylene Pipe (AASHTO M330)	LF.	100
	30" Coupler	EA.	90
	36" Corrugated Polypropylene Pipe (AASHTO M330)	LF,	80
	36" Coupler	EA.	70
	42" Corrugated Polypropylene Pipe (AASHTO M330)	ᆙ	60
	42" Coupler	EA.	50
	48" Corrugated Polypropylene Pipe (AASHTO M330)	LE.	40
	48" Coupler	EA.	30
	60" Corrugated Polypropylene Pipe (AASHTO M330)	LF.	20
	60" Coupler	EA.	10
Bid Price	Description	Unit	Item No.

84" C.G.M. Pipe - 16 GA - Spiral 2 2/3 x 1/2	5.	670
72" C.G.M. Band - 18 GA - Spiral 2 2/3 x 1/2	EA.	660
72" C.G.M. Pipe - 16 GA - Spiral 2 2/3 x 1/2	:AJ	650
60" C.G.M. Band - 18 GA - Spiral 2 2/3 x 1/2	EA.	640
60" C.G.M. Pipe - 16 GA - Spiral 2 2/3 x 1/2	LF,	630
54" C.G.M. Band - 18 GA - Spiral 2 2/3 x 1/2	EA.	620
54" C.G.M. Pipe - 16 GA - Spiral 2 2/3 x 1/2	LF <sub>4</sub>	610
48" C.G.M. Band - 18 GA - Spiral 2 2/3 x 1/2	EA.	600
48" C.G.M. Pipe - 16 GA - Spiral 2 2/3 x 1/2	LF.	590
42" C.G.M. Band - 18 GA - Spiral 2 2/3 x 1/2	EA.	580
42" C.G.M. Pipe - 16 GA - Spiral 2 2/3 x 1/2	LF,	570
36" C.G.M. Band - 18 GA - Spiral 2 2/3 x 1/2	EA.	560
36" C.G.M. Pipe - 16 GA - Spiral 2 2/3 x 1/2	LF.	550
30" C.G.M. Band - 18 GA - Spiral 2 2/3 x 1/2	EA.	540
30" C.G.M. Pipe - 16 GA - Spiral 2 2/3 x 1/2	F.	530
24" C.G.M. Band - 18 GA - Spiral 2 2/3 x 1/2	EA.	520
24" C.G.M. Pipe - 16 GA - Spiral 2 2/3 x 1/2	LF.	510
18" C.G.M. Band - 18 GA - Spiral 2 2/3 x 1/2	EA.	500
18" C.G.M. Pipe - 16 GA - Spiral 2 2/3 x 1/2	LF.	490
15" C.G.M. Band - 18 GA - Spiral 2 2/3 x 1/2	EA.	480
15" C.G.M. Pipe - 16 GA - Spiral 2 2/3 x 1/2	LF÷	470
12" C.G.M. Band - 18 GA - Spiral 2 2/3 x 1/2	EA.	460
12" C.G.M. Pipe - 16 GA - Spiral 2 2/3 x 1/2	LF.	450
4" Corrugated HDPE Pipe (AASHTO M252)	LF.	440
4" Coupler	EA.	430
8" Corrugated HDPE Pipe (AASHTO M252)	LF	420
8" Coupler	EA.	410
10" Corrugated HDPE Pipe (AASHTO M252)	LF.	400
10" Coupler	EA.	390
12" Corrugated HDPE Pipe (AASHTO M294)	LF	380
12" Coupler	EA.	370
15" Corrugated HDPE Pipe (AASHTO M294)	LF.	360
15" Coupler	EA.	350
18" Corrugated HDPE Pipe (AASHTO M294)	LF	340

/ -U DIA. 1/2 TO 1 GA - USEU RAIII Odu Cai	Per Foot	1480
DIA. 1/2" to 1" GA -	Per Foot	1470
DIA. 1/2" to 1" GA -	Per Foot	1460
5'-0" DIA. 5/16" GA - steel pipe	Per Foot	1451
5'-0" DIA. 1/2" to 1" GA - Used Railroad Car/steel pipe	Per Foot	1450
72" C.G.M. Band - 16 GA - Spiral 3 x 1	EA.	1440
72" C.G.M. Pipe - 12 GA - Spiral 3 x 1	두	1433
72" C.G.M. Pipe - 14 GA - Spiral 3 x 1	뜐	1432
72" C.G.M. Pipe - 16 GA - Spiral 3 x 1	LF,	1430
60" C.G.M. Band - 16 GA - Spiral 3 x 1	EA.	1420
60" C.G.M. Pipe - 12 GA - Spiral 3 x 1	뜌	1412
60" C.G.M. Pipe - 14 GA - Spiral 3 x 1	F.	1411
60" C.G.M. Pipe - 16 GA - Spiral 3 x 1	LF,	1410
71"X47" C.G.M. Band Arch - 12 GA - Arch Spiral 2 2/3 x 1/2	EA.	880
71"X47" C.G.M. Pipe Arch - 10 GA - Arch Spiral 2 2/3 x 1/2	LF.	870
64"X43" C.G.M. Band Arch - 14 GA - Arch Spiral 2 2/3 x 1/2	EA.	860
64"X43" C.G.M. Pipe Arch - 12 GA - Arch Spiral 2 2/3 x 1/2	두	850
57"X38" C.G.M. Band Arch - 14 GA - Arch Spiral 2 2/3 x 1/2	EA.	840
57"X38" C.G.M. Pipe Arch - 12 GA - Arch Spiral 2 2/3 x 1/2	LF.	830
49"X33" C.G.M. Band Arch - 14 GA - Arch Spiral 2 2/3 x 1/2	EA.	820
49"X33" C.G.M. Pipe Arch - 14 GA - Arch Spiral 2 2/3 x 1/2	LEs	810
42"X29" C.G.M. Band Arch - 14 GA - Arch Spiral 2 2/3 x 1/2	EA.	800
42"X29" C.G.M. Pipe Arch - 14 GA - Arch Spiral 2 2/3 x 1/2	LF.,	790
35"X24" C.G.M. Band Arch - 16 GA - Arch Spiral 2 2/3 x 1/2	EA.	780
35"X24" C.G.M. Pipe Arch - 16 GA - Arch Spiral 2 2/3 x 1/2	LEW TEW	770
28"X20" C.G.M. Band Arch - 16 GA - Arch Spiral 2 2/3 x 1/2	EA.	760
28"X20" C.G.M. Pipe Arch - 16 GA - Arch Spiral 2 2/3 x 1/2	LF.	750
24"X18" C.G.M. Band Arch - 18 GA - Arch Spiral 2 2/3 x 1/2	EA.	740
24"X18" C.G.M. Pipe Arch - 16 GA - Arch Spiral 2 2/3 x 1/2	LF.	730
21"X15" C.G.M. Band Arch - 18 GA - Arch Spiral 2 2/3 x 1/2	EA.	720
21"X15" C.G.M. Pipe Arch - 16 GA - Arch Spiral 2 2/3 x 1/2	LF.	710
17"X13" C.G.M. Band Arch - 18 GA - Arch Spiral 2 2/3 x 1/2	EA.	700
17"X13" C.G.M. Pipe Arch - 16 GA - Arch Spiral 2 2/3 x 1/2	LF.	690
84" C.G.M. Band - 18 GA - Spiral 2 2/3 x 1/2	EA.	680

	12 GA Galvanized Interlocking Sheeting - 5.8# (21.7)	Per SQ. FT.	2030
	7 GA Black Bridge Plank 4 1/4x12	Per SQ. FT.	2020
	7 GA Galvanized Bridge Plank 4 1/4x12	Per SQ. FT.	2010
	3 GA Galvanized Bridge Plank 9x3 - 15.3#	Per SQ. FT.	2005
	3 GA Black Bridge Plank 9x3 - 15.1#	Per SQ. FT	2000
	5 GA Galvanized Bridge Plank 9x3 - 13.5#	Per SQ. FT.	1995
	5 GA Black Bridge Plank 9x3 - 13.3#	Per SQ. FT.	1990
	7 GA Galvanized Bridge Plank 9x3 - 11.5#	Per SQ. FT.	1985
	7 GA Black Bridge Plank 9x3 - 11.3#	Per SQ. FT.	1980
	8 GA Galvanized Bridge Plank 9x3 - 10.5#	Per SQ. FT.	1975
	8 GA Black Bridge Plank 9x3 - 10.3#	Per SQ. FT.	1970
	7 GA Black Bridge Plank 6x2 - 10.5#	Per SQ. FT.	1920
	10 GA Black Bridge Plank 6x2 - 7.14#	Per SQ. FT.	1910
	12 GA Black Bridge Plank 6x2 - 6.0#	Per SQ. FT.	1900
	7 GA Galvanized Bridge Plank 6x2 - 10.7#	Per SQ. FT.	1890
	10 GA Galvanized Bridge Plank 6x2 - 8.0#	Per SQ. FT.	1880
	12 GA Galvanized Bridge Plank 6x2 - 6.2#	Per SQ. FT.	1870
(9)	3"x12" 8' to 24' - Fir/Creosote AWP Standard	Per BF	1810
	3"x8" 8' to 24' - Fir/Creosote AWP Standard	Per BF	1800
	3"x6" 8' to 24' - Fir/Creosote AWP Standard	Per BF	1790
	3"x4" 14' to 24' - Fir/Creosote AWP Standard	Per BF	1780
	48" New Steel culvert pipe - Wall thickness 3/8"	Per Foot	1547
	48" New Steel culvert pipe - Wall thickness 5/16"	Per Foot	1546
	48" New Steel culvert pipe - Wall thickness 1/4"	Per Foot	1545
	41" New Steel culvert pipe - Wall thickness 5/16"	Per Foot	1540
	37" New Steel culvert pipe - Wall thickness 5/16"	Per Foot	1535
	30" New Steel culvert pipe - Wall thickness 1/4"	Per Foot	1530
	24" New Steel culvert pipe - Wall thickness343" to .375"	Per Foot	1526
	24" New Steel culvert pipe - Wall thickness .25"	Per Foot	1525
	20" New Steel culvert pipe - Wall thickness343" to .375"	Per Foot	1521
	20" New Steel culvert pipe - Wall thickness .25"	Per Foot	1520
	10'-0" DIA. 1/2" to 1" GA - Used Railroad Car	Per Foot	1510
	8'-0" DIA. 1/2" to 1" GA - Used Railroad Car	Per Foot	1500
	7'-6" DIA. 1/2" to 1" GA - Used Railroad Car	Per Foot	1490

30-45 Ton Crane w/Operator and rigger	Per Hour	2530
18-25 Ton Crane w/Operator and rigger	Per Hour	2520
Flashing Waring Lights w/batteries - 6volt	EA.	2510
Barracade Stands - Type II	EA.	2500
150' Reflective Roll Tape - 5"	EA.	2480
150' Reflective Roll Tape - 3"	EA.	2470
36" x 36" Road Signs - Diamond Grade - Shipping included	EA.	2460
30" x 30" Road Signs - Diamond Grade - Shipping included	EA.	2450
5/8" x 8" Grader Blades/ Delivered	FT.	2410
5/8" x 6" Grader Blades/ Delivered	Ħ	2390
1/2" x 8" Grader Blades/ Delivered	FT,	2380
1/2" x 6" Grader Blades/ Delivered	FT <sub>s</sub>	2370
60d - Ring Shank Nails	Per 50lb	2340
Carsonite Reflectors - 62"	EA.	2310
Type IIA - Delineators	EA.	2300
Type IA - Delineators	EA,	2290
5/8" Rebar - Cut to Length if requested	FT,	2280
1/2" Rebar - Cut to Length if requested	FT.	2270
9 5/8" x 1/2" Pipe Piling	FT.	2260
7 5/8" x 3/8" Pipe Piling	FT.	2250
Used Guardrail	FT.	2240
New Guardrail	FT.	2230
Used Structural Steel	LB.	2220
New Structural Steel	LB.	2210
New H-Beam Piling	LB,	2200
Painted Stay-In Place Forming 26 GA	Per SQ. FT.	2180
8 GA Galvanized Interlocking Sheeting (18")	Per SQ. FT.	2100
7 GA Galvanized Interlocking Sheeting (18")	Per SQ. FT.	2090
10 GA Galvainzed Interlocking Sheeting (19.7")	Per SQ. FT.	2081
10 GA Galvainzed Interlocking Sheeting (18")	Per SQ. FT.	2080
12 GA Galvanized Interlocking Sheeting (18")	Per SQ. FT.	2070
8 GA Galvanized Interlocking Sheeting - 9.1# (21.7)	Per SQ. FT.	2060
7 GA Galvanized Interlocking Sheeting - 9.9# (21.7)	Per SQ. FT	2050
10 GA Galvanized Interlocking Sheeting - 7.4# (21.7)	Per SQ. FT.	2040

3/8" Insoluble Chips - Sandstone - Plant Location	Per Ion	2/20
1 1/2" Class & Limestone - Plant Location	Per Ion	01.77
1 1/2" #57 - Limestone - Plant Location	Per Ton	2700
24" Rip Rap - Limestone - Plant Location	Per Ton	2696
18" Rip Rap - Limestone - Plant Location	Per Ton	2694
12" Rip Rap - Limestone - Plant Location	Per Ton	2692
4" Surge - Limestone - Plant Location	Per Ton	2690
8" Surge - Limestone - Plant Location	Per Ton	2680
1" Crusher run - Limestone - Plant Location	Per Ton	2670
Crushed Concrete - 1 1/2" - no steel	Per Ton	2661
1 1/2" Crusher run - Limestone - Plant Location	Per Ton	2660
3/8" Screenings - Limestone - Plant Location	Per Ton	2650
5/8" #3C Cover - Limestone - Plant Location	Per Ton	2640
3/8" #2 Cover - Limestone - Plant Location	Per Ton	2635
3/4" #1 Cover - Limestone - Plant Location	Per Ton	2630
Fresh Water	Per Bbl	2620
Certified Welder (Non Bridge work)	Per Hour	2616
ODOT (Bridge) Certified Welder	Per Hour	2615
Frac tank	Per Day	2610
Vibrating Compactor smooth or sheeps foot	Per Hour	2600
Soil Stabilizer	Per Hour	2595
Motor Grader	Per Hour	2590
Backhoe 4WD Extendahoe	Per Hour	2585
Ditcher/Trencher	Per Hour	2580
Front End Loader w/Forks and Operator	Per Hour	2575
Trackhoe with thumb attachment w/Operator	Per Hour	2571
3/4 CY Crawler Track Hoe w/Operator	Per Hour	2570
560 Hp tractor and scrapper pan atachment w/ operator	Per Hour	2566
520 Hp tractor and scrapper pan atachment w/ operator	Per Hour	2565
195 + Hp Dozer w/Operator	Per Hour	2562
135 Hp Dozer w/Operator	Per Hour	2561
100 Hp Dozer w/Operator	Per Hour	2560
82 Hp Skid steer w/Operater and attachments	Per Hour	2550
65 Ton Diesel Hammer	Per Hour	2540

Per Ton 2 1/2" Crusher run - Gypsum
Per Ton 3" Minum Gypsum
Per Ton 2" Crusher run - Gypsum
Per Ton 6" Surge - Gypsum
Per Ton 4" Surge - Gypsum
Per Ton 2" Surge - Gypsum
Per Ton 2" Clean - Gypsum
Per Ton 1" Crusher run - Gypsum
Per Ton 11/2" Crusher run - Gypsum
Per Ton 3/8" Screenings - Gypsum
Per Ton 5/8" Cover - Gypsum
Per Ton 3/8" Cover - Gypsum
Per Ton 3/4" Cover - Gypsum
Per Ton Pit Run
Per CY Shale
Per CY Pit Run Ripping and Piling
Per CY Shale Ripping and Piling
Per CY Mixed Concrete - Class AA (4,000 psi) High Early Concrete
Per CY Mixed Concrete - Class A (3,000 psi) High Early Concrete
Per CY Mixed Concrete - Class AA (4,000 psi)
Per CY Mixed Concrete - Class A (3,000 psi)
Per CY Mixed Concrete - Class C (2,400 psi)
Bagged Cement Dry Powder
Per Ton Concrete Sand (per ASTM C-33 & ODOT Spec) - Plant Location
Per Ton Decomposed Granite Gravel (dust free red rock gravel)
Per CY Milled Road Gravel - Plant Location
Per Ton Road Gravel/ Class B - Plant Location
Per Ton 5/8" - 2" Washed Rock
Per Ton 3/8" Washed Rock
Per Ton 1 1/2" Crusher run - Sandstone - Plant Location
Per Ton 5/8" Insoluble Chips - Sandstone - Plant Location

Hr Tandum Axle 100bbl Water supply truck	Per Hr	3173
Hr Tandum Axle Bobtail end dump	Per Hr	3172
Hr Tandum Axle w/ float 48'	Per Hr	3171
Hr Tandum Axle Vacuum Transport w/ Operator	Per Hr	3170
on Applied Liquid Cement - ASTM C150/150M 55% cement by mass	Per Ton	3160
our Tree Trimming/Removal	Per Hour	3150
Day Traffic Control	Per Day	3140
on ethoxylated	Per Ton	3136
Dust Control - Methyl Tallowate, Methyl Soyate, 4-Nonylphenol branched,		
- Lignon Sulfanate, and Surfactants in homogeneous blends		
GAL Dust Control material - Magesium Chloride/Calcium Chloride/	Per GAL	3135
S.Y. Tack Oil - Applied (Material supplied)	Per S.Y.	3133
GAL Tack Oil - Delivered/Applied	Per GAL	3132
3AL Tack Oil - Delivered/Dropped Off	Per GAL	3131
GAL Tack Oil - Pick Up	Per GAL	3130
Hr Culvert Cleaning	Per Hr	3120
SY Asphalt Rejuvenator	Per SY	3116
_bs Crack Sealing (ODOT Type B)	Per Lbs	3115
Refelctorized Beads - Centerline Stripping	LF	3110
on Cold Patch Asphalt - ASPPM (Texas DOT spec)	Per Ton	3103
ged Cold Patch Asphalt - ASPPM (Texas DOT spec)	Bagged	3102
on Cold Patch Asphalt	Per Ton	3101
ged Cold Patch Asphalt	Bagged	3100
on Crushed Asphalt	Per Ton	3091
on Asphalt Millings	Per Ton	3090
on Superpave S-3 (PG64-22) Recycled - to be picked up by County	Per Ton	3081
on Superpave S-3 (PG64-22) Virgin - to be picked up by County	Per Ton	3080
on Type C Asphalt (PG64-22) Recycled - No shingles to be picked up	Per Ton	3071
on Type C Asphalt (PG64-22) Virgin - No shingles to be picked up	Per Ton	3070
on Type B Asphalt Recycled	Per Ton	3061
on Type B Asphalt Virgin	Per Ton	3060
on Type A Asphalt Recycled	Per Ton	3051
on Type A Asphalt Virgin	Per Ton	3050
SAL MC-3000 FOB - Delivered	Per GAL	3040

	Loaded Mile 76 to 100 miles	Loaded Mile	3204
	Loaded Mile 51 to 75 miles	Loaded Mile	3203
	Loaded Mile 26 to 50 miles	Loaded Mile	3202
	Loaded Mile 11 to 25 miles	Loaded Mile	3201
ton x miles x bid rate	1 to 10 miles	Loaded Mile 1 to 10 miles	3200
Mileage Table Bid cost per mile for Commercial Hauling	Mileage Table B		
Asphalt mill and replace with crew and equipment	Asphalt mill and repla	Per SY	3190
achine with crew	Asphalt Lay Down Machine with crew	Per Day	3180
ck and trailer	Demo end dump truck and trailer	Per Hr	3175

#### AFFIDAVIT FOR FILING WITH COMPETIVE BID

State of Oklahom	าล	) SS	
County of Kingfis	her	)	
not been a party bid at a fixed pri quality or price i discussions between	to any ice or in the een bi	y the bidder to submit the collusion among bidder to refrain from bidding; prospective contract, or	wful age, being first duly sworn, on oath says, that (s)he in the attached bid. Affiant further states that the bidder has in restraint of freedom of competition by agreement to or with any county official or employee as to quantity any other terms of said prospective contract; or in any icial concerning exchange of money or other thing of valuets.
			Bidder:
			Name:
			Address:
			Phone Number:
			Signature
Subscribe	ed and	I sworn to before me the	eday of, 2017.
			Notary Public (or Clerk or Judge)
My commission e	expires	S:	

Each competitive bid submitted to a county, school district or municipality must be accompanied with the

above Affidavit as required by 61 Okla. St. Ann. 138