

# KINGFISHER COUNTY COMMISSIONERS

Jeff Moss, District 1 Mike Sparks, District 2 **Anthony Schwarz District 3** 

Fax: (405) 375-2366

Phone: (405) 375-3808

Kingfisher County Courthouse 101 S. Main, Room #9 Kingfisher, OK 73750

May 12, 2024

#16-24-25

NOTICE TO BIDDERS

Notice is hereby given that the Board of County Commissioners of Kingfisher County will receive sealed bids for the 6 Month Bid list for Road and Bridge Materials and Commercial Roadway work for all Districts of Kingfisher County. Bids will be accepted at the Kingfisher County Courthouse in the Office of the County Clerk until 4:00pm on the 6<sup>th</sup> day of June, 2025 to be opened at their regular meeting of June 9<sup>th</sup>, 2025.

Specifications of the project are included in the bid packet and also available from the purchasing agent located in the Kingfisher County Clerk's office.

Beginning July 1st, 2025, during a period terminating on January 1st, 2026. All materials must meet the requirements of the Oklahoma Department of Transportation Specifications for Highway Construction, 2009 Edition, and its supplements, as approved by the Department of Transportation.

The successful bidders are required to be capable of producing a \$5,000 Performance Bond upon request and successful contractors are required to show a Certificate of Insurance, its limits and Workers Compensation. ALL BIDS ARE TO BE SUBMITTED ON BID SHEETS PROVIDED. PLEASE BID ONLY ON ITEMS REQUESTED. PLEASE DO NOT REPEAT, MAKE SUBSTITUTIONS, ADDITIONS, DELETIONS, OR WRITE ADDITIONAL INFORMATION ON BID SHEETS UNLESS IT ASKS FOR PLANT LOCATION OR F.O.B. POINT. IF YOU DO, THIS WILL CAUSE THOSE ITEMS NOT TO BE CONSIDERED FOR OUR 6 MONTH LIST.

The Board of County Commissioners reserves the right to reject any or all bids. All bidders must complete a statement of non-collusion / competitive bid affidavit. Please contact Kingfisher County Clerk's office for bid results at 405-375-3887.

Board of County Commissioners Kingfisher County Courthouse Kingfisher, Oklahoma

CHAIRMAN: lohg rolly

COUNTY CI

Item No.	Unit	Description Bid			
10	EA.	60" Coupler			
20	LF.	O" Corrugated Polypropylene Pipe (AASHTO M330)			
30	EA.	48" Coupler			
40	ĹF.	48" Corrugated Polypropylene Pipe (AASHTO M330)			
50	EA.	42" Coupler			
60	LF.	42" Corrugated Polypropylene Pipe (AASHTO M330)			
70	EA.	36" Coupler			
80	LF.	36" Corrugated Polypropylene Pipe (AASHTO M330)			
90	EA.	30" Coupler			
100	LF.	30" Corrugated Polypropylene Pipe (AASHTO M330)			
110	EA.	24" Coupler			
120	LF.	24" Corrugated Polypropylene Pipe (AASHTO M330)			
150	EA.	18" Coupler	2		
160	LF.	18" Corrugated Polypropylene Pipe (AASHTO M330)			
170	EA.	15" Coupler			
180	LF.	15" Corrugated Polypropylene Pipe (AASHTO M330)			
190	EA.	12" Coupler			
200	LF.	12" Corrugated Polypropylene Pipe (AASHTO M330)			
210	EA.	60" Coupler			
220	LF.	50" Corrugated HDPE Pipe (AASHTO M294)			
230	EA.	48" Coupler			
240	LF.	48" Corrugated HDPE Pipe (AASHTO M294)			
250	EA.	42" Coupler			
260	LF.	42" Corrugated HDPE Pipe (AASHTO M294)			
270	EA.	36" Coupler			

280	LF.	36" Corrugated HDPE Pipe (AASHTO M294)			
290	EA.	30" Coupler			
300	LF.	30" Corrugated HDPE Pipe (AASHTO M294)			
310	EA.	24" Coupler			
320	LF.	24" Corrugated HDPE Pipe (AASHTO M294)			
330	EA.	18" Coupler			
340	LF.	18" Corrugated HDPE Pipe (AASHTO M294)			
350	EA.	15" Coupler			
360	LF.	15" Corrugated HDPE Pipe (AASHTO M294)			
370	EA.	12" Coupler			
380	LF.	12" Corrugated HDPE Pipe (AASHTO M294)			
390	EA.	10" Coupler			
400	LF.	10" Corrugated HDPE Pipe (AASHTO M252)			
410	EA.	8" Coupler			
420	LF.	8" Corrugated HDPE Pipe (AASHTO M252)			
430	EA.	4" Coupler			
440	LF.	4" Corrugated HDPE Pipe (AASHTO M252)			
450	LF.	12" C.G.M. Pipe - 16 GA - Spiral 2 2/3 x 1/2			
460	EA.	12" C.G.M. Band - 18 GA - Spiral 2 2/3 x 1/2			
470	LF.	15" C.G.M. Pipe - 16 GA - Spiral 2 2/3 x 1/2			
480	EA.	15" C.G.M. Band - 18 GA - Spiral 2 2/3 x 1/2			
490	LF.	18" C.G.M. Pipe - 16 GA - Spiral 2 2/3 x 1/2			
500	EA.	18" C.G.M. Band - 18 GA - Spiral 2 2/3 x 1/2			
510	LF.	24" C.G.M. Pipe - 16 GA - Spiral 2 2/3 x 1/2			
520	EA.	24" C.G.M. Band - 18 GA - Spiral 2 2/3 x 1/2			
530	LF.	30" C.G.M. Pipe - 16 GA - Spiral 2 2/3 x 1/2			

540	EA.	30" C.G.M. Band - 18 GA - Spiral 2 2/3 x 1/2
550	LF.	36" C.G.M. Pipe - 16 GA - Spiral 2 2/3 x 1/2
560	EA.	36" C.G.M. Band - 18 GA - Spiral 2 2/3 x 1/2
570	LF.	42" C.G.M. Pipe - 16 GA - Spiral 2 2/3 x 1/2
580	EA.	42" C.G.M. Band - 18 GA - Spiral 2 2/3 x 1/2
590	LF.	48" C.G.M. Pipe - 16 GA - Spiral 2 2/3 x 1/2
600	EA.	48" C.G.M. Band - 18 GA - Spiral 2 2/3 x 1/2
610	LF.	54" C.G.M. Pipe - 16 GA - Spiral 2 2/3 x 1/2
620	EA.	54" C.G.M. Band - 18 GA - Spiral 2 2/3 x 1/2
630	LF.	60" C.G.M. Pipe - 16 GA - Spiral 2 2/3 x 1/2
640	EA.	60" C.G.M. Band - 18 GA - Spiral 2 2/3 x 1/2
650	LF.	72" C.G.M. Pipe - 16 GA - Spiral 2 2/3 x 1/2
660	EA.	72" C.G.M. Band - 18 GA - Spiral 2 2/3 x 1/2
670	LF.	84" C.G.M. Pipe - 16 GA - Spiral 2 2/3 x 1/2
680	EA.	84" C.G.M. Band - 18 GA - Spiral 2 2/3 x 1/2
690	LF.	17"X13" C.G.M. Pipe Arch - 16 GA - Arch Spiral 2 2/3 x 1/2
700	EA.	17"X13" C.G.M. Band Arch - 18 GA - Arch Spiral 2 2/3 x 1/2
710	LF.	21"X15" C.G.M. Pipe Arch - 16 GA - Arch Spiral 2 2/3 x 1/2
720	EA.	21"X15" C.G.M. Band Arch - 18 GA - Arch Spiral 2 2/3 x 1/2
730	LF.	24"X18" C.G.M. Pipe Arch - 16 GA - Arch Spiral 2 2/3 x 1/2
740	EA.	24"X18" C.G.M. Band Arch - 18 GA - Arch Spiral 2 2/3 x 1/2
750	LF.	28"X20" C.G.M. Pipe Arch - 16 GA - Arch Spiral 2 2/3 x 1/2
760	EA.	28"X20" C.G.M. Band Arch - 16 GA - Arch Spiral 2 2/3 x 1/2
770	LF.	35"X24" C.G.M. Pipe Arch - 16 GA - Arch Spiral 2 2/3 x 1/2
780	EA.	35"X24" C.G.M. Band Arch - 16 GA - Arch Spiral 2 2/3 x 1/2
790	LF.	42"X29" C.G.M. Pipe Arch - 14 GA - Arch Spiral 2 2/3 x 1/2

800	ЕЛ	42"Y20" C C M P I A - I 44 C C
	EA.	42"X29" C.G.M. Band Arch - 14 GA - Arch Spiral 2 2/3 x 1/2
810	LF.	49"X33" C.G.M. Pipe Arch - 14 GA - Arch Spiral 2 2/3 x 1/2
820	EA.	49"X33" C.G.M. Band Arch - 14 GA - Arch Spiral 2 2/3 x 1/2
830	LF.	57"X38" C.G.M. Pipe Arch - 12 GA - Arch Spiral 2 2/3 x 1/2
840	EA.	57"X38" C.G.M. Band Arch - 14 GA - Arch Spiral 2 2/3 x 1/2
850	LF.	64"X43" C.G.M. Pipe Arch - 12 GA - Arch Spiral 2 2/3 x 1/2
860	EA.	64"X43" C.G.M. Band Arch - 14 GA - Arch Spiral 2 2/3 x 1/2
1410	LF.	60" C.G.M. Pipe - 16 GA - Spiral 3 x 1
1411	LF.	60" C.G.M. Pipe - 14 GA - Spiral 3 x 1
1412	LF.	60" C.G.M. Pipe - 12 GA - Spiral 3 x 1
1420	EA.	60" C.G.M. Band - 16 GA - Spiral 3 x 1
1430	LF.	72" C.G.M. Pipe - 16 GA - Spiral 3 x 1
1432	LF.	72" C.G.M. Pipe - 14 GA - Spiral 3 x 1
1433	LF.	72" C.G.M. Pipe - 12 GA - Spiral 3 x 1
1440	EA.	72" C.G.M. Band - 16 GA - Spiral 3 x 1
1450	Per Foot	5'-0" DIA. 1/2" to 1" GA - Used Railroad Car/steel pipe
1451	Per Foot	5'-0" DIA. 5/16" GA - steel pipe
1460	Per Foot	6'-0" DIA. 1/2" to 1" GA - Used Railroad Car
1470	Per Foot	6'-6" DIA. 1/2" to 1" GA - Used Railroad Car
1480	Per Foot	7'-0" DIA. 1/2" to 1" GA - Used Railroad Car
1490	Per Foot	7'-6" DIA. 1/2" to 1" GA - Used Railroad Car
1500	Per Foot	8'-0" DIA. 1/2" to 1" GA - Used Railroad Car
1510	Per Foot	10'-0" DIA. 1/2" to 1" GA - Used Railroad Car
1520	Per Foot	20" New Steel culvert pipe - Wall thickness .25"
1521	Per Foot	20" <b>Used</b> Steel culvert pipe - Wall thickness .25"
1522	Per Foot	20" New Steel culvert pipe - Wall thickness .343" to .375"

1523	Per Foot	20" Used Steel culvert pine. Wall thickness 242" to 275"	
1524	Per Foot	20" <b>Used</b> Steel culvert pipe - Wall thickness .343" to .375"	
100000000000000000000000000000000000000		24" New Steel culvert pipe - Wall thickness .25"	
1525	Per Foot	24" <b>Used</b> Steel culvert pipe - Wall thickness .25"	
1527	Per Foot	24" <b>Used</b> Steel culvert pipe - Wall thickness .343" to .375"	
1530	Per Foot	30" New Steel culvert pipe - Wall thickness 1/4"	
1531	Per Foot	30" <b>Used</b> Steel culvert pipe - Wall thickness 1/4"	
1534	Per Foot	37" <b>Used</b> Steel culvert pipe - Wall thickness 5/16"	
1537	Per Foot	41" <b>Used</b> Steel culvert pipe - Wall thickness 5/16"	
1540	Per Foot	48" New Steel culvert pipe - Wall thickness 1/4"	
1545	Per Foot	48" New Steel culvert pipe - Wall thickness 5/16"	
1547	Per Foot	48" New Steel culvert pipe - Wall thickness 3/8"	
1870	Per SQ. FT.	12 GA Galvanized Bridge Plank 6x2 - 6.2#	
1880	Per SQ. FT.	10 GA Galvanized Bridge Plank 6x2 - 8.0#	
1890	Per SQ. FT.	7 GA Galvanized Bridge Plank 6x2 - 10.7#	
1900	Per SQ. FT.	12 GA Black Bridge Plank 6x2 - 6.0#	
1910	Per SQ. FT.	10 GA Black Bridge Plank 6x2 - 7.14#	
1920	Per SQ. FT.	7 GA Black Bridge Plank 6x2 - 10.5#	
1970	Per SQ. FT.	8 GA Black Bridge Plank 9x3 - 10.3#	
1975	Per SQ. FT.	8 GA Galvanized Bridge Plank 9x3 - 10.5#	
1980	Per SQ. FT.	7 GA Black Bridge Plank 9x3 - 11.3#	
1985	Per SQ. FT.	7 GA Galvanized Bridge Plank 9x3 - 11.5#	
1990	Per SQ. FT.	5 GA Black Bridge Plank 9x3 - 13.3#	
1995	Per SQ. FT.	5 GA Galvanized Bridge Plank 9x3 - 13.5#	
2000	Per SQ. FT.	3 GA Black Bridge Plank 9x3 - 15.1#	
2005	Per SQ. FT.	3 GA Galvanized Bridge Plank 9x3 - 15.3#	
2030	Per SQ. FT.		

2040	Per SQ. FT.	10 GA Galvanized Interlocking Sheeting - 7.4# (21.7)
2050	Per SQ. FT.	
2060	Per SQ. FT.	8 GA Galvanized Interlocking Sheeting - 9.1# (21.7)
2080	Per SQ. FT.	10 GA Galvainzed Interlocking Sheeting (18")
2180	Per SQ. FT.	
2200	LB.	New H-Beam Piling
2210	LB.	New Structural Steel
2230	FT.	New Guardrail
2240	FT.	Used Guardrail
2250	FT.	7 5/8" x 3/8" Pipe Piling
2260	FT.	9 5/8" x 1/2" Pipe Piling
2270	FT.	1/2" Rebar - Cut to Length if requested
2280	FT.	5/8" Rebar - Cut to Length if requested
2310	Per GAL	Soil Stabilizer - Applied
2311	Per GAL	Soil Stabilizer - Enzyme Chemical
2312	Per MILE	Soil Stabilizer - Enzyme Chemical
2313	Per Ton	Soil Stabilizer/Dust Control - Delivered
2314	Per Ton	Soil Stabilizer/Dust Control - Delivered & Applied
2315	Per Ton	Soil Stabilizer/Dust Control Consentrate - Delivered
2320	Per Bbl	Fresh Water
2330	Per Ton	3/4" #1 Cover - Limestone - Plant Location
2335	Per Ton	3/8" #2 Cover - Limestone - Plant Location
2340	Per Ton	5/8" #3C Cover - Limestone - Plant Location
2350	Per Ton	3/8" Screenings - Limestone - Plant Location
2360	Per Ton	1 1/2" Crusher run - Limestone - Plant Location
2361	Per Ton	Crushed Concrete - 1 1/2" - no steel

2370	Per Ton	1" Crusher run - Limestone - Plant Location		
2380	Per Ton	B" Surge - Limestone - Plant Location		
2390	Per Ton	4" Surge - Limestone - Plant Location		
2392	Per Ton	12" Rip Rap - Limestone - Plant Location		
2393	Per Ton	18" Rip Rap - Limestone - Plant Location		
2394	Per Ton	24" Rip Rap - Limestone - Plant Location		
2400	Per Ton	1 1/2" #57 - Limestone - Plant Location		
2410	Per Ton	1 1/2" Class B Limestone - Plant Location		
2420	Per Ton	5/8" Washed Rock - Plant Location		
2421	Per Ton	3/4"- 2" Washed Rock - Plant Location		
2430	Per Ton	Road Gravel/ Class B - Plant Location		
2431	Per Ton	ROM Material - Special Blend - Location		
2440	Per Ton	Concrete Sand (per ASTM C-33 & ODOT Spec) - Plant Location		
2450	Per CY	Mixed Concrete - Class C (2,400 psi)		
2451	Per CY	Mixed Concrete - Class A (3,000 psi)		
2452	Per CY	Mixed Concrete - Class AA (4,000 psi)		
2453	Per CY	Mixed Concrete - Class A (3,000 psi) High Early Concrete		
2454	Per CY	Mixed Concrete - Class AA (4,000 psi) High Early Concrete		
2460	Per CY	Shale - Location		
2461	Per Ton	Fill Dirt - Location		
2462	Per Ton	Dark Fine		
2480	Per Ton	3/8" Screenings - Gypsum		
2485	Per Ton	1 1/2" Crusher run - Gypsum		
2490	Per Ton	2" Clean - Gypsum		
2491	Per Ton	2" Clean Road Rock		

2495	Per Ton	4" Surge - Gypsum	
2500	Per Ton	6" Surge - Gypsum	
2501	Per Ton		
		6" Surge Rock	
2510	Per Ton	2" Crusher run - Gypsum	
2511	Per Ton	2" minus Crusher run Road Rock	
2520	Per Ton	2 1/2" Crusher run - Gypsum	
2530	Per Ton	County Special - 3/4" Pit Run Gypsum	
2531	Per Ton	3/4" Minus Crusher Run Road Rock	
2535	Per Ton	Rip Rap (Shot Rock)	
2540	Per Ton	Traffic Bound Surface Course (TBSC)	
2550	Per GAL	MC-3000 FOB - Delivered	
2560	Per Ton	Superpave S-3 (PG64-22) Virgin - picked up by County	
2561	Per Ton	Superpave S-3 (PG64-22) Recycled - picked up by County	
2570	Per Ton	Superpave S-4 (PG64-22) Virgin - picked up by County	
2571	Per Ton	Superpave S-4 (PG64-22) Recycled - picked up by County	
2580	Per Ton	Superpave S-5 (PG64-22) Virgin - picked up by County	
2581	Per Ton	Superpave S-5 (PG64-22) Recycled - picked up by County	
2590	Per Ton	Asphalt Millings	
2591	Per Ton	Crushed Asphalt	
2600	Bagged	Cold Patch Asphalt	
2601	Bagged	Cold Patch Asphalt - ASPPM (Texas DOT spec)	
2602	Per Ton	Cold Patch Asphalt - ASPPM (Texas DOT spec)	
2610	LF.	Refelctorized Beads - Centerline Stripping	
2620	Per Lbs	Crack Sealing (ODOT Type B)	

2630	Per GAL	Tack Oil - Pick Up	
2631	Per GAL	Tack Oil - Delivered/Dropped Off	
2632	Per GAL		
27-100-4-10-20-104		CRS-2 Delivered	
2633	Per GAL	CRS-2 Picked up	
2634	Per GAL	CRS-2 plus Delivered	
2635	Per GAL	CRS-2 plus Picked up	
2636	Per GAL	CRS-2S Delivered	
2637	Per GAL	CRS-2S Picked up	
2638	Per GAL	CHFRS-2P Delivered	
2639	Per GAL	CHFRS-2P Picked up	
2640	Per GAL	SS-1 Delivered	
2641	Per GAL	SS-1 Picked up	
2642	Per GAL	AEP- Prime Coat Delivered	
2643	Per GAL	AEP- Prime Coat Picked up	
2644	Per GAL	CQS-1F Delivered	
2645	Per GAL	CQS-1F Picked up	
2646	Per GAL	CMS-1PC Delivered	
2647	Per GAL	CMS-1PC Picked up	
2650	Per GAL	Dust Control - Magesium Chloride/Calcium Chloride/- Lignon Sulfanate, and Surfactants in homogeneous blends	
2651	Per Ton	Dust Control material - crusched to 3/8" minus - Pick up	
2660	Per Day	Traffic Control	
2670	Per Hour	Tree Trimming/Removal	
2675	Per Hour	Right of Way Mowing	
2680	FT.	1/2" x 6" Grader Blades/ Delivered	

2681	FT.	1/2" x 8" Grader Blades/ Delivered	
2682	FT.	/8" x 6" Grader Blades/ Delivered (carbon)	
2683	FT.	5/8" x 6" Grader Blades/ Delivered (Maxtemp or tempered steel)	
2684	FT.	5/8" x 8" Grader Blades/ Delivered (carbon)	
2685	FT.	5/8" x 8" Grader Blades/ Delivered (Maxtemp or tempered steel)	
2690	Per Hour	ODOT (Bridge) Certified Welder	
2700	Per Hour	18-25 Ton Crane w/Operator and rigger	
2710	Per Hour	30-45 Ton Crane w/Operator and rigger	
2720	Per Hour	65 Ton Diesel Hammer	
2730	Per Hour	82 Hp Skid steer w/Operater and attachments	
2740	Per Hour	100 Hp Dozer w/Operator	
2741	Per Hour	135 Hp Dozer w/Operator	
2742	Per Hour	195 Hp Dozer w/Operator	
2743	Per Hour	265 Hp + Dozer w/Operator	
2745	Per Hour	520 Hp tractor and scrapper pan atachment w/ operator	
2750	Per Hour	3/4 CY Crawler Track Hoe w/Operator	
2751	Per Hour	Trackhoe with thumb attachment w/Operator	
2755	Per Hour	Front End Loader w/Forks and Operator	
2760	Per Hour	Backhoe 4WD Extendahoe	
2770	Per Hour	Motor Grader	
2775	Per Hour	Vibrating Compactor smooth, sheeps foot or pneumatic	
2777	Per Hour	Soil Stabilizer/Recycler 500hp (Bomag)	
2778	Per Hour	Soil Stabilizer/Recycler 600hp (Bomag)	
2780	Per Day	Frac tank	
2790	Per Hr	Tandum Axle Bobtail end dump	

2791	Per Hr	Tandum Axle 100bbl Water supply truck		
2800	Per Hr	Demo end dump truck and trailer		
2805	Per Day	Asphalt Lay Down Machine with crew		
2810	Per SY	Asphalt mill and replace with crew and equipment		
2815	Per Hr	Asphalt distribitor truck		
2820	Per SY	Chip Seal install single lay labor and equipment		
2825	Per SY	Chip Seal install double lay labor and equipment		
Mileage Table Bid cost per mile for Commercial Hauling				
3201	Loaded Mile	1 to 10 miles ton x miles x bid rate		
3202	Loaded Mile	.1 to 25 miles		
3203	Loaded Mile	26 to 50 miles		
3204	Loaded Mile	51 to 75 miles		
3205	Loaded Mile	ded Mile 76 to 100 miles		

#### AFFIDAVIT FOR FILING WITH COMPETIVE BID

State of Oklahoma	) SS	
County of Kingfisher	)	
not been a party to any bid at a fixed price or quality or price in the	the bidder to submit the collusion among bidder to refrain from bidding; prospective contract, or dders and any county off	wful age, being first duly sworn, on oath says, that (s)he in attached bid. Affiant further states that the bidder hat in restraint of freedom of competition by agreement to or with any county official or employee as to quantity any other terms of said prospective contract; or in an icial concerning exchange of money or other thing of valuet.
		Bidder:
		Name:
		Address:
		Phone Number:
		Signature
Subscribed and	sworn to before me the	day of, 20
		Notary Public (or Clerk or Judge)
My commission expires:		

Each competitive bid submitted to a county, school district or municipality must be accompanied with the above Affidavit as required by 61 Okla. St. Ann. 138